



WHAT IS AFFIRMING CARE?

A practice guide for healthcare professionals



Healthy Teen Network

WHAT IS AFFIRMING CARE?

A Practice Guide for Healthcare Professionals

Charlie Blue Brahm, Emily (Skywark) Connor, and Patricia Natalie

© 2025 Healthy Teen Network

HealthyTeenNetwork.org

This work is licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/).

Under this license, you are free to:

Share — copy and redistribute the material in any medium or format

Adapt — remix, transform, and build upon the material

Under the following terms:


Attribution. You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

NonCommercial. You may not use the material for commercial purposes.

No additional restrictions. You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.

Suggested Citation

Brahm, C. B., Connor, E., & Natalie, P. (2025). What is affirming care? [Practice guide]. Healthy Teen Network. www.HealthyTeenNetwork.org/resources/affirming-care/#what



Healthy Teen Network

We believe every young person has the right to be who they are and love who they love.

That means living in a world that affirms and celebrates them for who they are. That means having the agency, opportunity, and access to make decisions about their bodies, relationships, and futures. (And feel good doing it!) That includes decisions about if, when, and how to parent—or not.

And we see you—teachers and educators, counselors and clinicians, caring adults—helping them do this. Every day, providing honest, affirming care and education, and empowering the next generation to lead healthy, fulfilling lives.

At Healthy Teen Network, we know you do your best when you're connected to great opportunities, resources, and with others working in sexual and reproductive health. That's the magic of the Network—and why we're here every day to help professionals learn, improve, create, and advocate.

We are Healthy Teen Network.

About This Guide

When young people feel seen, respected, and valued for who they are, it strengthens their ability to cope with challenges and enhances their sense of self-worth.

This guide walks healthcare providers through a foundational understanding of affirming care. From using inclusive language to understanding gender-affirming care, this resource explores strategies that healthcare providers can put in place to support, validate, and care for their LGBTQ+ patients.

Acknowledgments

We thank Dr. Annie Smith, Dr. Beth Marshall, and the dedicated team at the Johns Hopkins Center for Adolescent Health, whose systematic literature review provided the foundational insights and research for this practice guide.

We also extend our gratitude to Jack Duroc-Danner, Lauren Lapointe, Isaiah Lawrence, Calvin Liang, Kathryn Macapagal, Ryan Mateo Sharnbroich, Deja Svastisalee, and Ariyanna White for generously sharing their expertise and perspectives during interviews, which enriched the development of this practice guide. A special thanks goes to Lilith Breazeale for their creativity and vision in crafting a powerful video that illustrates an ideal, affirming healthcare experience.

We thank our Healthy Teen Network colleagues Milagros Garrido and Janet Max for their reviews and feedback, which provided crucial guidance for refining and enhancing this resource. We appreciate the branding and graphic design support from Arianna de la Mancha and Gina Desiderio. We are deeply grateful to our former teammate, Bianca Devoto, for her dedicated support and encouragement, which enabled us to bring this resource to fruition. Finally, we are most appreciative of Merck for its support of our efforts to create this important resource.

Language Note

Throughout this practice guide, we will use the phrase 'transgender and nonbinary.' We acknowledge and celebrate the diversity of ways people describe their gender, so please note that this guidance applies to all young people who do not identify as cisgender, including those who are gender-expansive, gender non-conforming, Two-Spirit, genderfluid, and individuals with a range of other identities.

CONTENTS

1. Introduction	6
2. What are affirming care practices?	7
3. Opening reflection	8
4. What is LGBTQ+-affirming care?	9
5. What is gender-affirming care?	11
6. Why is it important for health care to be LGBTQ+-and gender-affirming?	17
7. What are foundational practices of LGBTQ+- and gender-affirming care?	18
8. Practice your understanding	20
9. Closing reflection	23
10. References	24

1. INTRODUCTION

Affirming and validating young people's identities is essential for building their resilience and supporting their overall well-being.¹ When young people feel seen, respected, and valued for who they are, it strengthens their ability to cope with challenges and enhances their sense of self-worth. Increased resilience and self-worth are especially important for young people who face systemic disparities due to factors like race, gender, sexual orientation, or socioeconomic status. These disparities, often rooted in long-standing oppression and discrimination, can negatively affect mental health and quality of life, making young people more vulnerable to stress, anxiety, and depression.^{2,3}

By affirming and validating identities, healthcare providers help counterbalance the adverse effects of these systemic inequalities and improve health outcomes. This approach creates a safe space where young people feel understood and supported, empowering them to navigate societal challenges with greater confidence and resilience. It also contributes to a more inclusive and equitable environment, where young people are better equipped to thrive despite the external pressures they may face.

To truly support the well-being of LGBTQ+ young people, it's essential to understand what LGBTQ+- and gender-affirming health care entails. These practices go beyond general support by actively affirming and validating identities, helping young people feel seen and valued in a world where systemic disparities often impact their mental health and quality of life. Let's explore what LGBTQ+- and gender-affirming health care looks like and why it's so important.

2. WHAT ARE AFFIRMING CARE PRACTICES?

Affirming care practices involve actively recognizing, validating, and supporting young people's identities in ways that make them feel celebrated, respected, valued, and seen.⁴

Affirming care practices are often discussed in the context of young people's sexual and gender identities, which is the main context that this research summary covers.

However, it's important to note that affirming care also addresses the intersectionality of young people's identities. Broadly, affirming care recognizes that aspects such as race, ethnicity, and cultural background intersect with gender and sexual identity to shape each person's unique experiences.⁵

It is crucial to affirm young people's identities, while also celebrating them as whole individuals, recognizing that intersectionality means they are not defined by just one dimension of themselves.⁶

For example, a healthcare practitioner might affirm a young person's identity by...

1. using inclusive language, similar to the language outlined in [Healthy Teen Network's Words Matter Guide to Inclusive Language](#), which acknowledges the many identities a young person holds,
2. acknowledging and addressing challenges that are specific to those identities in culturally sensitive ways, or
3. creating a safe space for them to express themselves authentically.

No matter what kind of healthcare professional you are, using affirming care practices in your work plays a vital role in making sure that spaces feel emotionally safe for young people so they can openly communicate about their health needs and experiences.

Affirming and validating identities is crucial for fostering resilience and well-being among young people, particularly in recognizing how systemic disparities—rooted in oppression and discrimination—impact their mental health and overall quality of life.

3. OPENING REFLECTION

Throughout this research summary, we'll invite you to reflect on what you're reading about. We encourage you to pause and take a few moments to write out answers to each question as you go. This practice can help with retention and identifying any content you are unsure of, so you can later discuss with peers and coworkers.

REFLECTION OPPORTUNITY

What do you think it means for a young person to feel affirmed in their identities?



4. WHAT IS LGBTQ⁺-AFFIRMING CARE?

LGBTQ⁺-affirming care provides support that respects and validates LGBTQ+ identities by honoring each person's gender identity, creating safe environments for authentic self-expression, and ensuring access to supportive resources at different stages of life.⁷

At its core, LGBTQ⁺-affirming care practices embrace the diversity of how people love and think about themselves, including their gender identity and sexual orientation.

Below, read more about three core elements of LGBTQ⁺-affirming care.

Core Elements of LGBTQ⁺-Affirming Care

Unconditional acceptance

Affirming care treats LGBTQ+ individuals as whole people, encouraging self-definition without relying on assumptions or stereotypes.⁸ It is crucial that healthcare professionals work to counteract their internalized biases, as stereotypes, ignorance, or disapproval of certain communities can make LGBTQ+ individuals feel unsafe in care settings.⁹

Non-pathologizing

Affirming care rejects the medical history of labeling LGBTQ+ identities as abnormal, recognizing that gender and sexuality norms vary across cultures and time.¹⁰

Embracing fluidity

Affirming care accepts that gender can be binary or nonbinary, fixed or fluid, and may change throughout a person's life.¹¹

Check out this video, created by a Healthy Teen Network youth volunteer, to hear about what an ideal affirming healthcare setting could feel like.



5. WHAT IS GENDER-AFFIRMING CARE?

Gender-affirming care practices include medical treatments, psychological care, and support services that help affirm young people's gender identities. These practices include support such as hormone therapy, counseling, and connecting young people to resources within their community. Gender-affirming care also includes actions by healthcare professionals that show acceptance, support, and celebration of young people's gender identity and exploration.¹²

Gender-affirming health care can be a crucial support for transgender, non-binary, and gender-diverse people to reduce gender dysphoria and feel more aligned with their gender identity.¹³

What is gender dysphoria?

Gender dysphoria is the feeling of discomfort or distress that comes from feeling like your gender presentation or expression doesn't align with your gender identity.¹⁴ Many—but not all!—transgender people experience gender dysphoria at some point.

Dysphoria can come from internal experiences such as feeling like your body parts aren't what they should be based on your gender identity.¹⁵ Dysphoria can also be caused by interpersonal experiences, like being treated as a gender you don't identify with. It's often hard to separate the two, as people's self-perception is shaped by their environment.¹⁶

Gender-affirming care builds on LGBTQ⁺-affirming care practices to specifically focus on validating and supporting a young person's gender identity and expression. These affirming practices can help all young people—but especially transgender, non-binary, and gender-expansive young people—to feel safe, accepted, and therefore more engaged in their care.

Creating spaces where transgender and gender-expansive young people feel safe to express themselves authentically is crucial for them to thrive.¹⁷

5.1. What are some core principles of gender-affirming care?

Core Principles of Gender-Affirming Care

Gender Identity Is Different from Assigned Sex

Gender-affirming care distinguishes gender identity—one’s inner sense of self shaped by biology, socialization, and culture—from assigned sex, the “male” or “female” label given at birth based on physical traits.¹⁸

Gender Identity Is Not Binary

Gender-affirming care recognizes that not all gender identities fit binary norms. Some may identify with multiple genders, or none at all, beyond the male/female construct.^{19,20}

Gender Identity Is Contextual

Gender-affirming care understands that gender identity is influenced by family, culture, religion, and societal expectations.²¹ The way that a young person sees themselves exists within the context of their environment.

5.2. What interventions can gender-affirming care include?

Gender affirmation treatment encompasses a range of medical, psychological, and social interventions, including hormone therapy, surgeries, counseling, and resource navigation.²²

Gender-affirming medical interventions can support individuals in aligning their physical characteristics with their gender identity. These interventions include:

Gender-Affirming Medical Interventions

Hormone Therapy and Puberty Blockers

Hormones may be prescribed during or after puberty to support physical changes that align with a young person's gender identity. This involves puberty blockers, hormone replacement therapy, and hormonal birth control. While puberty blockers and birth control are reversible, hormone replacement therapy has a mix of permanent and reversible effects.²³

Surgical Affirmation

The most common types of gender-affirming surgical procedures are modifications to a person's chest (AKA 'top surgery'), genitals (AKA 'bottom surgery'), or face (a.k.a. 'FFS' and 'FMS'). These procedures are not reversible.²⁴

Hair Removal or Transplant

Some individuals pursue hair removal—such as laser treatment or electrolysis—to reduce facial or body hair, or hair transplants to create hair patterns consistent with their gender identity.

Gender-affirming psychological and social interventions provide emotional and practical support to help individuals explore, understand, and express their gender identity while navigating social challenges. Compared to medical interventions, most healthcare professionals can provide psychological and social interventions. These interventions include:

Gender-Affirming Psychological and Social Interventions

Mental Health Counseling

Counseling services offer a safe space for individuals to discuss their experiences, feelings, and identity. It supports young people in navigating gender-related challenges and building self-acceptance.

Social Transition Assistance

Guidance can be provided to help individuals adopt a new name, pronouns, clothing, or other aspects of social identity.²⁵ Resources and strategies are available to assist with navigating different environments, such as school, work, or social settings.

Resource Navigation

This service connects individuals with community resources, advocacy services, and organizations that support gender-diverse individuals. It also helps with legal name changes and updating gender markers on identification documents.

Gender-affirming interventions—medical, psychological, and social—are essential for supporting individuals as they align their physical and emotional well-being with their gender identity. These services provide relief from gender dysphoria, enhance mental health, and create support networks that promote positive health outcomes and self-acceptance.

It is important to recognize that everyone's journey is unique, and trans individuals have diverse goals for their care. Not all transgender young people who pursue gender-affirming treatments fit binary definitions or aim to appear cisgender. Making assumptions about someone's identity based on the treatments they seek can be harmful.²⁶

For example, a transfeminine non-binary person seeking laser hair removal may face misgendering from providers who assume they are a binary trans woman. Some surgeons may impose cis-normative ideals, overlooking the individual's true goals.

Healthcare professionals must respect each patient's unique transition goals, especially as many young people envision their bodies beyond the traditional gender binary.

“It’s awesome, I love it, I feel free. I feel like I can be me, like I don’t have to fake I’m something I’m not. They respect my PGP, my Preferred Gender Pronoun, everything, and they are helping me a lot.”²⁷

5.3. Is gender-affirming care only for trans people?

While gender-affirming care is frequently associated with transgender individuals, it can also play a crucial role in supporting the well-being of some cisgender young people.

Some cisgender young people have medical conditions that cause their bodies to differ from societal gender norms. These young people may also experience gender dysphoria and benefit from medical support to treat it.

One such medical condition is hyperandrogenism, in which a person has naturally elevated hormone levels. Hyperandrogenism, often caused by Polycystic Ovary Syndrome (PCOS), can result in elevated testosterone levels and increased body hair growth in individuals assigned female at birth (AFAB).²⁸

These effects can be highly distressing for cisgender young women with PCOS; however, transgender or nonbinary people with PCOS may embrace these same physical changes while still seeking treatment to make sure they stay healthy.²⁹

Gynecomastia is a condition in which individuals assigned male at birth (AMAB) develop a significant amount of chest tissue. This chest tissue growth causes some cisgender young men to feel dysphoric or experience bullying.³⁰ Gender-affirming surgery can significantly improve the well-being and quality of life for cisgender young men experiencing negative mental health effects from gynecomastia.³¹

In fact, the vast majority of gender-affirming surgeries performed on minors address conditions such as gynecomastia in cisgender young people, rather than being related to transgender care.³²

Gender-affirming care can be a crucial support for both transgender and cisgender individuals to feel that their bodies align with their sense of self.

6. WHY IS IT IMPORTANT FOR HEALTH CARE TO BE LGBTQ+ AND GENDER AFFIRMING?

Below are three of the many areas in which practicing LGBTQ+ and gender-affirming care can make a real difference in young people's well-being.

Affirming Care Can Make a Real Difference

Open Dialogue and Trust

Gender-affirming care fosters trust between patients and healthcare professionals, enabling open, honest conversations about health behaviors and decisions. Respect for patients' gender identities, such as using correct pronouns, helps create a safe space where LGBTQ+ individuals feel understood and supported.³³

Mental Health and Well-Being

Gender affirmation, including psychological, social, and medical support, significantly impacts the mental health of transgender and gender-diverse young people. Studies show that young people who are affirmed in their gender experience lower rates of depression and anxiety compared to their cisgender peers.³⁴ Affirming care, including the use of a chosen name, helps reduce psychological distress and dysphoria, promoting overall well-being.^{35, 36}

Psychological Resilience

Support from healthcare professionals who affirm patients' gender identities contributes to psychological resilience. This support enhances LGBTQ+ individuals' engagement in care, particularly for transfeminine adolescents and emerging adults, by promoting emotional well-being and ensuring consistent access to necessary health services.³⁷

7. WHAT ARE FOUNDATIONAL PRACTICES OF LGBTQ+ AND GENDER-AFFIRMING CARE?

Foundational Practices of Affirming Care

Creating Opportunities for Discussing Identities

Professionals can create a supportive environment by inviting young people to discuss their sexual and gender identities openly and authentically. For example, asking clients how they describe their sexual and gender identities allows professionals to recognize and honor the rich, multidimensional spectrum of sexuality and gender. This approach can ensure that all clients feel welcomed and supported.³⁸

Affirming Queer Attraction

Respecting and celebrating queer love and same-gender attraction can help to create a sense of safety and counter the societal stigma that LGBTQ+ young people may experience in other settings. By creating a safe space, healthcare providers help young people develop a cohesive sense of identity, which is crucial for their overall well-being.³⁹

Respecting Language Choices

Noting the specific language each person uses to describe their own identity is an important way to affirm LGBTQ+ young people. There is a wide array of terms that each carry their own nuance and history. For example, a young person may identify as 'pansexual' but be uncomfortable being called 'bisexual,' even though both terms can be used to describe those who feel attraction to people of two or more genders. When clients share terms that resonate with their experience, write it in their chart so you can use it in future interactions to demonstrate respect and attentiveness.⁴⁰

Foundational Practices of Affirming Care (continued)

Inviting Young People to Share (But Not to Educate)

Language and culture around LGBTQ+ identities is constantly evolving. Taking the initiative to do your own research about LGBTQ+ experiences and seek out LGBTQ+ stories shows commitment to providing affirming, inclusive care. Even so, you're likely to run into instances in which a LGBTQ+ young person brings up a term or concept you're not familiar with.

In these situations, it's important to respond with curiosity and humility. Be honest when things are new to you. That transparency can actually build trust when paired with reassurance that you're going to make a note to look into it later (and actually doing so!). Expecting an LGBTQ+ young person to educate you about their identities can be detrimental to trust. Instead of asking general questions that could easily be answered through a quick web search, focus on asking open-ended, personal questions about their individual experiences.

Simple, open statements such as, *"I'd love to learn more about this from your perspective. Can you share your experience?"* convey genuine curiosity and willingness to learn from young people. These kinds of questions foster an environment of open communication.⁴¹


Providing Affirming Programming

Offering programs that affirm LGBTQ+ identities helps young people accept and celebrate their identities. This practice is foundational in clinical psychology⁴² and social work⁴³ and has proven protective against depression and anxiety across various populations.⁴⁴ Programs like these validate young people's identities, promoting resilience and self-worth, especially regarding their race, ethnicity, and cultural background.⁴⁵

8. PRACTICE YOUR UNDERSTANDING


Review three practical scenarios below and their corresponding effective, affirming responses for supporting LGBTQ+ young people.

Scenario 1



A young person tells you that they are struggling with their mental health after coming out as queer because their family has not been supportive. They blame themselves, repeatedly saying, *“I feel bad for putting my family through this. I just wish I were normal.”*


As a provider, you **can affirm this young person’s identity and validate their feelings**. You might say something like, *“Thank you for sharing this with me, it takes courage to speak about something so deeply personal. Being queer is a beautiful and valid part of who you are, and it doesn't make you abnormal in any way. It sounds like your family is struggling to process their own feelings, but their reaction isn't your fault. You deserve love and acceptance exactly as you are.”*



Depending on your role, you may then either be able to directly offer them support or **help connect them to other support systems and affirming programming**. In the latter case, you might offer reassurance like, *“Let’s work together to find additional ways for you to get support.”*


Scenario 2

When scheduling a follow-up appointment, a young person mentions that they use they/them pronouns now.



Time to work together! The staffer who is helping to schedule this young person should start by thanking them for sharing their updated pronouns, then note the change in their file. During their visit, their provider can then **make space for this young person to share more** by saying something such as, *“I noticed that you’ve started using they/them pronouns since I last saw you. Thank you for telling us! Our practice wants to make sure you feel able to show up fully as yourself here, so knowing things like changes in your pronouns is very helpful. Are there any other changes in your name, sexual orientation, gender identity, or otherwise that you’d feel comfortable sharing?”*

After hearing from the young person, the provider can also invite future sharing by saying, *“You are always welcome to let me know if the way you identify or your care goals change!”*



Going forward, it’s important to **update that young person’s file and make sure that everyone in your practice who interacts with them uses their correct name**

Scenario 3

During an initial visit, a young person mentions that they identify as gray-ace—a term you’re not entirely familiar with— but that they still want to talk about how to care for their health if they decide to have sex.

As usual, a good place to start is thanking this young person for sharing more about their identity and affirming that you are here to support them. You might say something like, *“Thank you for sharing with me that you identify as gray-ace. I appreciate you trusting me to know this part of who you are, and I want to make sure we work together to give you the information and tools you need to care for your health.”*

If the term ‘gray-ace’ is new to you, be honest about it in a respectful way. For example, *“I’m not very familiar with gray-ace, but I would love to learn more about what it means to you.”*

If you have some knowledge on asexuality and recognize the term ‘ace,’ you could mention that and ask if there is any connection, while staying open to their perspective.

Be clear that you’re going to read up on gray-ace perspectives later, but for now, you want to focus on their individual experience. You might start by asking, *“Would you be comfortable sharing more about how you personally experience gray-ace?”* and follow up by clarifying what questions they have about caring for their health if they decide to have sex.

9. CLOSING REFLECTION



REFLECTION OPPORTUNITY

Think about a recent interaction with a young person where you provided—or perhaps didn't provide—affirming care.

What strategies did you use, and what new approaches could make the experience even more supportive?

10. REFERENCES

- ¹ Harper, G. W., Wagner, R. L., Popoff, E., Reisner, S. L., & Jadwin-Cakmak, L. (2019). Psychological resilience among transfeminine adolescents and emerging adults living with HIV. *AIDS*, 33, S53-S62. <https://doi.org/10.1097/qad.0000000000002174>
- ² Angelino, A., Evans-Campbell, T., & Duran, B. (2020). Assessing health provider perspectives regarding barriers American Indian/Alaska Native transgender and Two-Spirit youth face accessing healthcare. *Journal of Racial and Ethnic Health Disparities*, 7, 630-642. <https://doi.org/10.1007/s40615-019-00693-7>
- ³ Trent, M., Dooley, D. G., & Dougé, J. (2019). The impact of racism on child and adolescent health. *Pediatrics*, 144(2). *American Academy of Pediatrics*. <https://doi.org/10.1542/peds.2019-1765>
- ⁴ Mendoza, N. S., Moreno, F. A., Hishaw, G. A., Gaw, A. C., Fortuna, L. R., Skubel, A., ... & Gallegos, A. (2020). Affirmative care across cultures: broadening application. *Focus*, 18(1), 31-39. <https://doi.org/10.1176/appi.focus.20190030>
- ⁵ Crenshaw, K. (2013). Demarginalizing the intersection of race and sex: A black feminist critique of antidiscrimination doctrine, feminist theory and antiracist politics. *University of Chicago Legal Forum*, 1989(8), 23-51. <http://chicagounbound.uchicago.edu/uclf/vol1989/iss1/8>
- ⁶ Crenshaw, K. (1991). Mapping the margins: Intersectionality, identity politics, and violence against Women of Color. *Stanford Law Review*, 43(6), 1241-1299. <https://doi.org/10.2307/1229039>
- ⁷ Human Rights Campaign. (2022, February 18). *What trans-affirming care for youth actually means* [Video]. YouTube. <https://www.youtube.com/watch?v=HPXcrLogTBs>
- ⁸ Gitlin, R., Demla, K., & Sewell, D. D. (2021). Clinical management of homeless LGBTQ+ patients: Overcoming a history of discrimination and invisibility and improving care through education, training, and advocacy. *Clinical Management of the Homeless Patient: Social, Psychiatric, and Medical Issues*, 203-227. https://doi.org/10.1007/978-3-030-70135-2_14
- ⁹ Chaiton, M., Thorburn, R., Sutton, M., & Feng, P. (2023). LGBTQ2S+ youth perspectives on mental healthcare provider bias, standards of care, and accountability. *Youth*, 3(1), 93-106.

¹⁰ Ramos, N. (2021). Medical trauma in LGBTQIA youth: Adapting trauma-informed affirming clinical practices. *Pediatric Annals*, 50(9), e379–e383. <https://doi.org/10.3928/19382359-20210818-02>

¹¹ Ramos, 2021.

¹² National Child Traumatic Stress Network. (2022). Gender-affirming care is trauma-informed care [Fact sheet]. <https://www.nctsn.org/sites/default/files/resources/fact-sheet/gender-affirming-care-is-trauma-informed-care.pdf>

¹³ Gitlin et al., 2021.

¹⁴ Mayo Clinic. (2022, February 26). *Gender dysphoria: Symptoms and causes*. <https://www.mayoclinic.org/diseases-conditions/gender-dysphoria/symptoms-causes/syc-20475255>

¹⁵ Mayo Clinic, 2022.

¹⁶ Mayo Clinic, 2022.

¹⁷ Saltis, M. N. (2021). An interpretative phenomenological analysis of how transgender and gender expansive youth experience their gender identities. University of Northern Colorado Dissertations, 750. <https://digscholarship.unco.edu/cgi/viewcontent.cgi?article=1753&context=dissertations>

¹⁸ Wagner, J., Sackett-Taylor, A. C., Hodax, J. K., Forcier, M., & Rafferty, J. (2019). Psychosocial overview of gender-affirmative care. *Journal of Pediatric and Adolescent Gynecology*, 32(6), 567–573. doi: 10.1016/j.jpog.2019.05.004

¹⁹ Wagner et al., 2019.

²⁰ Advocates for Youth. (2023). *Teaching & advocacy for sexual health project (TASP) resource guide*. https://www.advocatesforyouth.org/wpcontent/uploads/2023/11/TASP_Resource_Guide_2023.pdf

²¹ Advocates for Youth, 2023.

²² Gitlin et al., 2021.

²³ Wagner et al., 2019.

²⁴ Wagner et al., 2019.

²⁵ Gitlin et al., 2021.

- ²⁶ Tallant, J., Carreon, E., Rust, K., Parekh, J. (2023). *Research on promising strategies for trauma-responsive, affirming care*. Child Trends. <https://activatecenter.org/resource/research-onpromising-strategies-for-trauma-responsive-affirming-care>
- ²⁷ Greenfield, B., Alessi, E. J., Manning, D., Dato, C., & Dank, M. (2021). Learning to endure: A qualitative examination of the protective factors of homeless transgender and gender expansive youth engaged in survival sex. *International Journal of Transgender Health*, 22(3), 316-329. <https://doi.org/10.1080/26895269.2020.1838387>
- ²⁸ Cleveland Clinic. (2023). *Hyperandrogenism*. Cleveland Clinic. <https://my.clevelandclinic.org/health/diseases/24639-hyperandrogenism>
- ²⁹ Soucie, K., & Rinaldi, J. (2023, August 21). *Failing femininity? How PCOS advocacy confronts gender-based medical discrimination*. King's College London. <https://www.kcl.ac.uk/failing-femininity-how-pcos-advocacy-confronts-gender-based-medical-discrimination>
- ³⁰ Brown, J. T. (2022, October 30). When I started growing breasts as a teen boy, I got gender-affirming care without stigma. NBC News. <https://www.nbcnews.com/think/opinion/gender-affirming-care-isnt-just-for-trans-people-rcna54651>
- ³¹ Brown, 2022.
- ³² Dai, D., Charlton, B. M., Boskey, E. R., Hughes, L. D., Hughto, J. M. W., Orav, E. J., & Figueroa, J. F. (2024). Prevalence of gender-affirming surgical procedures among minors and Adults in the US. *JAMA Network Open*, 7(6), e2418814. <https://doi.org/10.1001/jamanetworkopen.2024.18814>
- ³³ Harper et al., 2019.
- ³⁴ Wagner et al., 2019.
- ³⁵ Durwood, L., McLaughlin, K. A., & Olson, K. R. (2017). Mental health and self-worth in socially transitioned transgender youth. *Journal of the American Academy of Child & Adolescent Psychiatry*, 56(2), 116-123. <https://doi.org/10.1016/j.jaac.2016.10.016>
- ³⁶ Olson, K. R., Durwood, L., DeMeules, M., & McLaughlin, K. A. (2016). Mental health of transgender children who are supported in their identities. *Pediatrics*, 137(3), 1–8. <https://doi.org/10.1542/peds>
- ³⁷ Harper et al., 2019.
- ³⁸ Levenson, J. S., Craig, S. L., & Austin, A. (2023). Trauma-informed and affirmative mental health practices with LGBTQ+ clients. *Psychological Services*, 20(S1), 134. <https://doi.org/10.1037/ser0000540>

- ³⁹ Garofalo, R., & Harper, G. W. (2003). Not all adolescents are the same: Addressing the unique needs of gay and bisexual male youth. *Adolescent Medicine*, 14(3), 595–611.
[doi:10.1016/S1041349903500470](https://doi.org/10.1016/S1041349903500470)
- ⁴⁰ Healthy Teen Network. (2024). Insights from key informant interviews: A human-centered design approach to research-to-practice translation.
- ⁴¹ Healthy Teen Network, 2024.
- ⁴² Grzanka, P. R., & Miles, J. R. (2016). The problem with the phrase “intersecting identities”: LGBT affirmative therapy, intersectionality, and neoliberalism. *Sexuality Research & Social Policy: A Journal of the NSRC*, 13(4), 371–389. <https://doi.org/10.1007/s13178-016-0240-2>
- ⁴³ Crisp, C., & McCave, E. L. (2007). Gay affirmative practice: A model for social work practice with gay, lesbian, and bisexual youth. *Child and Adolescent Social Work Journal*, 24, 403–421.
<https://doi.org/10.1007/s10560-007-0091-z>
- ⁴⁴ Cruwys, T., Haslam, S. A., Dingle, G. A., Haslam, C., & Jetten, J. (2014). Depression and social identity: An integrative review. *Personality and Social Psychology Review*, 18(3), 215–238.
<https://doi.org/10.1177/1088868314523839>
- ⁴⁵ Gillig, T. K., Miller, L. C., & Cox, C. M. (2019). “She finally smiles... for real”: Reducing depressive symptoms and bolstering resilience through a camp intervention for LGBTQ youth. *Journal of Homosexuality*, 66(3), 368–388.
<https://doi.org/10.1080/00918369.2017.1411693>